



EU-TYPE EXAMINATION CERTIFICATE



The following model of Personal Protective Equipment has been subjected to an EU-type examination in accordance with the module B of the PPE regulation (2016/425) and has been shown to satisfy to essential health and safety requirements.

Certificate N° 0075/4629/161/10/22/1805 EXT 01/10/22

Issued by CTC, Notified Body N°0075, to the following model of personal protective equipment :

Manufacturer : Shoes For Crews(Europe)Limited
4135 Atlantic Avenue, Westpark Business Campus Shannon Co,
Clare
Ireland

Description

PPE Type : *an occupational footwear*
Product reference : Carrig Mid Black
Article code : 62202
Construction and material of outsole : CEMENT, EVA/ RUBBER SOLE

Pictures :



62202

USA	UK	EU	CM
13	12	47	30.5

Shoes For Crews (Europe) Limited
4135 Atlantic Avenue Westpark Business
Campus Shannon, Co. Clare, Ireland
62202 Carrig Mid Black
EN ISO 20347:2022
06 FO HI CI SR
Made in China
#XX/202X
Code: PRS XX-XX/2X

CE UKCA

Reference standard : EN ISO 20347:2022

Classification : I **Category :** 06 FO HI CI SR

Size range : USA3.5-14/ UK2.5-13/ EU35-48/ CM21.5-31.5

Toecap nature : N/A **Insert nature :** N/A

At the date of certificate the product is in compliance with Annex XVII of REACH regulation (n° 1907/2006 and revisions)

Full description of the PPE, reference rules verified in the context of the EU-type examination and information given on the product are detailed in the manufacturer's technical file index 01 dated from OCTOBER 2022 and the user instructions index 2022-9-30.

NOTA : Any modification to new items of the personal protective equipment object of this EU type approval certificate or any modification of the information contained in the manufacturer technical file which served for the deliverance of the EU type approval certificate (change of address, change of company status) should be brought to the attention of the notified body in accordance with Annex V §7.2 of Regulation 2016/425. Any marking on the PPE which is not concerned by the Regulation (UE) 2016/425, is not covered by this certificate.

Issued in Lyon by

Date of first issue : 07 October 2022

Didier GUISSADO

End of validity date : 07 October 2027

Certification Manager



In application of the Regulation 2016/425 of the European parliament and the Council of 9th March 2016 related to Personal Protective Equipment and repealing the Directive 89/686/EEC.



Accreditation n° 5-0594
Scope available on:
www.cofrac.fr

www.ctcgroupe.com

cemarking@ctcgroupe.com

CTC - 4, rue Hermann Fränkel - 69367 Lyon cedex 07 - France
Tél. : +33 (0)4 72 76 10 10 - Fax : +33 (0)4 72 76 10 00 - ctclyon@ctcgroupe.com

Comité Professionnel de Développement Économique (CPDE) Cuir-Chaussure/Maroquinerie/Ganterie
Loi 78-654 du 22.06.1978 - Siret 77564972600160 - Code NAF 9412Z - TVA FR 88775649726

Shoes For Crews(Europe)Limited

MANUFACTURER'S TECHNICAL FILE

Reference of the product: Carrig Mid Black

Article code: 62202

Technical file index: 01

Last update: OCTOBER 2022

IDENTIFICATION

Reference of the product:	Carrig Mid Black
Article Code:	62202
This article is a minor variant of the model:	Carrig Low Black(art code:62201)
Technical file index :	01
Last update :	OCTOBER 2022

Manufacturer

Shoes For Crews(Europe)Limited
4135 Atlantic Avenue, Westpark Business Campus Shannon Co, Clare
Ireland
Tel : 0049 173 737 8740

Factories

Dongguan Duhao Shoes Co.,Ltd
3 / F, No. 26, Shang Tun Shangjiao Road, Houjie Town, Dongguan City, Guandong PR
China
Tel : 13925380154

Guizhou Pyras Footwear Company Limited
The 5th Building , Area A , Chongqing Industrial Park , Shangyu Industrial Area ,Shangba Tujiazu , Daozhen
Autonomous Country , Zunyi , Guizhou
China
Tel : 13824737172

FOOTWEAR DESCRIPTION

Footwear description

The classification of this footwear is I : Footwear made from leather and other materials, excluding all-rubber or all-polymeric footwear.
The design of this footwear is B : ankle boot.

Visual description

General view :



Outsole view :



Reference of the mould : ACE1241

Range of sizes

USA3.5-14/ UK2.5-13/ EU35-48/ CM21.5-31.5

Construction and material of outsole

CEMENT, EVA/ RUBBER SOLE

Field of use

Occupational shoes suitable for every use and type of work (Airport, Cold warehouse, Hospital) without perforation and compression risks

Risk assessment (Essential Health and Safety Requirement. Annex II - PPE Regulation)

		Applicable	Covered by	
§1	Requirements defined in the Annex II §1 are applicable to all PPE	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Standard
			<input checked="" type="checkbox"/>	Instruction for use
			<input checked="" type="checkbox"/>	Marking
§1.4	Manufacturer's instructions and information is available	<input checked="" type="checkbox"/>		Standard
			<input checked="" type="checkbox"/>	Instruction for use
				Marking
§2.2	PPE is designed and manufactured in a way that perspiration resulting from use is minimised. Otherwise it must be equipped with means of absorbing perspiration.	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Standard
			<input checked="" type="checkbox"/>	Instruction for use
				Marking
§2.4	If it is known that the design performance of new PPE may be significantly affected by ageing, the month and year of manufacture and/or, if possible, the month and year of obsolescence must be indelibly and unambiguously marked on each item of PPE placed on the market and on its packaging.	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Standard
			<input checked="" type="checkbox"/>	Instruction for use
			<input checked="" type="checkbox"/>	Marking
§2.9	PPE incorporating components which can be adjusted or removed by the user	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Standard
			<input checked="" type="checkbox"/>	Instruction for use
				Marking
§2.12	PPE bearing one or more identification markings or indicators directly or indirectly relating to health and safety	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Standard
			<input checked="" type="checkbox"/>	Instruction for use
			<input checked="" type="checkbox"/>	Marking
§3.1.2.1	The PPE is intended to protect against falls due to slipping	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Standard
			<input checked="" type="checkbox"/>	Instruction for use
			<input checked="" type="checkbox"/>	Marking
§3.3	The PPE is intended to protect against mechanical injuries	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Standard
			<input checked="" type="checkbox"/>	Instruction for use
			<input checked="" type="checkbox"/>	Marking
§3.6	Protection against heat and/or fire	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Standard
			<input checked="" type="checkbox"/>	Instruction for use
			<input checked="" type="checkbox"/>	Marking
§3.7	Protection against cold	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Standard
			<input checked="" type="checkbox"/>	Instruction for use
			<input checked="" type="checkbox"/>	Marking

FOOTWEAR CONSTITUTION

	Reference	Material	Color
UPPER	SFC-UP01	SMOOTH ACTION COW LEATHER	BLACK
	SFC-UP06	STONE TEXTURE COW ACTION LEATHER	BLACK
	SFC-UP07	320G H5359 MESH NON-VICKING	BLACK
COLLAR	SFC-UP01	SMOOTH ACTION COW LEATHER	BLACK
	SFC-CP01	MICROFIBER PU	BLACK
	/	DECORATIVE PU	DARK GREY
TONGUE	SFC-UP01	SMOOTH ACTION COW LEATHER	BLACK
	SFC-UP07	320G H5359 MESH NON-VICKING	BLACK
VAMP LINING	SFC-LM01+	POLYESTER MESH+MEMBRANE	BLACK
QUARTER LINING	SFC-LM01+	QUARTER/ HEEL AREA LINING : POLYESTER MESH + MEMBRANE	BLACK
	SFC-LVM01	COLLAR/ TONGUE LINING:VELVET	BLACK
INSOLE	SFC-ISL01	TEXON PAPER BOARD	YELLOW
INSOCK	SFC-ISK03	VELVET + PU, NON-PERFORATED AND REMOVABLE	BLACK/ GREY
OUTSOLE	ACE1241	EVA + RUBBER	BLACK/ YELLOW
DECORATIVE ELEMENTS		THE MARK OF WATERPROOF FUNCTION	BLACK/ YELLOW
		LOGO RUBBER (OUTSOLE)	YELLOW
		WEBBING	BLACK/GREY

PROTECTION SCOPE

Basic requirements

This product has been designed to be an occupational footwear.

The applicable basic requirements are detailed in the following standard(s):

- EN ISO 20347:2022 Occupational footwear

This product is a category PPE.

At the date of the certificate, the product is in compliance with Annex XVII of the European REACh regulation (n° 1907/2006 and revisions)

Additional requirements

The claimed additional requirements are :


- Cleated outsole
- Antistatic footwear
- Heat insulation
- Cold insulation
- Energy absorption of seat region
- Water resistance of the whole footwear
- Slip resistance (ceramic tile with glycerine)
- Outsole : Fuel oil resistance

MARKING - PACKAGING

Information marked on the footwear

- * Logo of the Manufacturer
- * Logo **CE**
- * Manufacturer's name or commercial brand
- * Manufacturer's postal address
- * Manufacturer's type designation
- * Size
- * At least year and month of footwear manufacture
- * The number and year of the applicable specific standard(s)
- * The appropriate codes of marking according to the applicable requirements and additional protection and performance claimed

Marking example



The location of the marking is : Tongue label heat transfer to the tongue inside

Method of marking on the footwear: Heat Transfer in the tongue lining

Packaging

1 pair in 1 inner box, 6 pairs in 1 carton.

References of test reports performed in order to verify the compliance with the requirements of the technical rules:

<u>Laboratory</u>	<u>Report</u>	<u>Laboratory</u>	<u>Report</u>
CTC	D220612845_1	CTC	D220815585_1
CTC	D220613156_1	CTC	D220815826_2
CTC	D220713835_1	CTC	D220816198_1
CTC	D220714392_1	CTC	D220816257_1
CTC	D220714647_1	CTC	D220816516_1
CTC	D220715219_1	CTC	D220817015_1
CTC	D220715223_1	CTC	D220817372_1
CTC	D220715302_1	CTC	D220817374_1
CTC	D220715420_1	INTERTEK	GZHT91093700(S1)
CTC	D220815542_1	INTERTEK	GZHT91093981(S1)

MEANS OF CONTROL

We control the quality as per follow:

1. All materials incoming should be inspected by Incoming Quality Control department. Any change of materials should be confirmed by engineering department after passed the test, if there are any unconformity with the original sample, the materials will be rejected.
2. Engineering department design the working instruction for every working station of cutting, sewing, injection and packing, the instructions should be made according to EN standard EN ISO 20347:2022 and client's requirements; all workers should be work as per these instructions.
3. The first sample should be approved by manager of factory before begin production for every order.
4. We'll spot-check the products in each working station. Any unconformity against the instruction will be fed back to technician who will improve the process through adjust the equipment or training workers.
5. The process formula should be strictly stable, we check it three times per day.
6. Packing: production department should make the first sample of packing and send it to Manager for approval, Quality Control department will spot-check them before and after production.
- 7 All products should be inspected strictly before outgoing.
- 8 in order to control the quality of mass production well, we will make the test of fuel oil ,Upper/sole bond strength for size S/M/L per every 5000 pairs, and make the test of slip resistant/abrasion resistant of sole/Leather Cr VI for size M additionally per every 10000 pairs.

PPE subject to ageing :

The design performance of this product can be affected by ageing. The peremption period is estimated at 3 years when stored in appropriate conditions (humidity, temperature, clean , ventilated, light). Before use, the footwear shall be visually controlled, in case of deterioration the footwear must be scrapped (abrasion, cut, tear...).

Declaration of conformity :

The UE declaration of conformity is available with each product.